Qty:

30 Um:

Each

: LANYARD ASSEMBLY

: D26905

: N/A

: B2

: NA

: 12/1/2005

: D2690 REV. B2

Thursday, 11/24/2005 11:42:55 AM

Use:

Linda Lacelle

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

Estimate Number

: 24959

: 10942

P.O. Number

: HIA

This Issue Prsht Rev.

First Issue

Written By

Previous Run

: 11/24/2005

: NC : NIA S.O. No. : N/A

Type

: SMALL /MED FAB

: NIA

Checked & Approved By

Comment

Removed Manufacturer Release 01.08.24

SM/EC Certification

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

CBL460

Total: 2.0000 Each(s)/Unit

60.0000 Each(s)

Loop Sleeve

Comment: Qty.: Loop Sleeve

Pick:

Qtv 2

CBL1240

Part Number

Description **CBL-460**

Batch

Loop Sleeve

M18473 **(3)**

Comment: Qty.:

0.6250 f(s)/Unit

Total:

18.7500 f(s)

Cable

Pick:

Qty 7.5"

Part Number CBL-1240

Description

Cable

Batch

SMALL & MEDIUM FAB RESOURCE 1

3.0

2.0

SMALL FAB

Comment: SMALL & MEDIUM FAB RESOURCE 1

Assemble as per Dwg D2690

ORZ

4.0

QC5

INSPECT WORK TO CURRENT STEP

27/11/05

27/11/05

30

30

5.0

PACKAGING 1

PACKAGING RESOURCE #1

Comment: INSPECT WORK TO CURRENT STEP

Comment: PACKAGING RESOURCE #1

Identify and Stock Location: 52

15/11/25

Thursday, 11/24/2005 11:42:55 AM Date: - 🍑

Linda Lacelle User:

Process Sheet

Drawing Name: LANYARD ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services

Job Number: 24959

Part Number: D26905

Job Number:

Seq. #:

Machine Or Operation:

Description:

6.0

DOCUMENT CONTROL

Comment: DOCUMENT CONTROL

Inspection Level 21

P 05/1/30 @


Job Completion




COMPOLLED CAPY



| | DESIG | Now Y | DRAWN BY | DART AEROSPACE LTD | |
|--|----------|-------|------------|--|--|
| | VIVO | | KE | VICTORIA INTERNATIONAL AIRPORT, CANADA | |
| | CHEC | KED | APPROVED | DRAWING NO. REV. B | |
| | ny | | BW | D2690 SHEET 1 OF 1 | |
| | DATE | | | TITLE SCALE | |
| | 97.10.02 | | | LANYARD ASSEMBLY NTS | |
| | Α | | 97.07.03 | NEW ISSUE | |
| | В | | 97.10.02 | REVISED NOTE FOR ADDITIONAL LENGTH | |
| | Bı | de co | 01.08.20 | ADD NOTE TO REMOVE 2.25" OF SLEEVE | |
| | BZ | -H-R | = 04.06.24 | ADDED TOLERANCE | |





X = LENGTH IN INCHES

NOTE: CUT CABLE 2.50* INCHES LONGER THAN 'X' LENGTH.

FOLD ENDS TIGHT TO 'X' LENGTH AND CRIMP WITH

SLEEVE AT END OF LOOSE END OF CABLE WITH

CBL-705 CRIMPING TOOL.

*ADDITIONAL LENGTH MAY BE NECESSARY IN SOME APPLICATIONS. CUT AS REQUIRED.

NOTE: IN SOME CASES, END HAS TO BE CRIMPED AFTER

ASSEMBLY WITH ATTACHING PARTS.